


Fig. 2



output profile table

attribute	output profile name
A: cell phone 502	a00502. dat
B: TV32	b0t32. dat
C: CRT1	ccrt001. dat
D: LCD2	d0Lcd02. dat
E: Book PC1	ePc01. dat

Fig. 4

cache table

No.	image name	attribute	output image filename	output HTML filename
1	N1A	A: cell phone 502	a0001. jpg	b0001. html
		E: Book PC1	a0002. jpg	b0002. html
		B: TV32	a0003. jpg	b0003. html
		D: LCD2	a0004. jpg	b0004.html
	portraitz	A: cell phone 502	a0005. jpg	b0005.html

Fig. 5

★ www Browser	11
File (F) Edit (E) View (V) Jump (G) Communicator (C) Help (H)	11
Please choose items and click "transmit" button transmit	
Your monitor: CIE-ITU Standard RGB Monitor Panasonic PanaSync Panasonic LCD Rec601	
Please select an image you want to see operate (N1A) cafeteria (N2A) fruit basket (N3A)	
	\dashv




Fig. 7





Fig. 8



input profile table

image name	input profile name
NIA	scan01. dat
portrait1	scan02. dat
portrait2	camera01.dat
landscape1	camera01. dat

Fig. 10





Fig. 11






Fig. 13

is is

s fig




Fig. 14

